POLY STUDIO X50

HIGHLIGHTS

- 4K UltraHD video
- Stereo speakers that deliver immersive room-filling audio.
- Poly DirectorAl smart camera technology
- Poly NoiseBlockAl and Acoustic Fence smart audio filtering technologies.
- Seamless native experience on leading cloud video services.

ORDER NOW

+91 9810166450 www.savivision.com

Vision for the next...

POLY STUDIO X50

About Poly Studio X50

Make your video conferencing easier and more powerful. The Poly Studio X50 includes legendary audio and video performance in a simple all-in-one video bar. Offer true meeting equality with pinpoint-accurate automatic framing and tracking modes, distraction-free audio technology, and life-like 4K UltraHD video. There's no PC required, either: Cloud video apps are built right in, offering familiar controls, and supports the leading cloud video services. And with Poly Lens, deployment, management and analytics are a breeze for IT.

Benefits

Get any mid-sized meeting room up and running in minutes, with a simple setup process and all-in-one design

Catch even the smallest details with its 4K UltraHD 120degree FOV camera

Surround everyone with the rich, legendary sound with stereo speakers that deliver immersive room-filling audio.

Enjoy a seamless native experience on all the leading cloud video apps — no PC or separate gateway required.

Ensure everyone is seen clearly with Poly DirectorAls pinpoint-accurate automatic framing technologies.

Keep distracting noises and side conversations from interrupting your meetings with Poly NoiseBlockAI and Acoustic Fence technologies.





POLY STUDIO X50

SPECIFICATION

PRODUCT SPECIFICATIONS

Package includes:

- Poly Studio X50
- Power supply
- HDMI cable
- Ethernet cable
- Wall mount
- Privacy cover

VIDEO STANDARDS AND PROTOCOLS

• H.264 AVC, H.264 High Profile, H.265, H.239

VIDEO INPUT

• 1x HDMI

VIDEO OUT

- 2x HDMI
- Touch display compatible

PEOPLE VIDEO RESOLUTION

- 4K, 30 fps (TX and RX) from 2048 Kbps
- 1080p, 60 fps from 1740 Kbps
- 1080p, 30 fps from 1024 Kbps
- 720p, 60 fps from 832 Kbps
- 720p, 30 fps from 512 Kbps

CAMERA

- 121° DFOV, 110° HFOV
- 5x digital zoom
- UHD 2160p (4K) capture resolution
- Automatic meeting experience powered by Poly DirectorAl including group framing and speaker framing
- Secondary cameras can be added via USB and HDMI

CONTENT VIDEO RESOLUTION

- Input
- UHD (3840 x 2160)
- HD (1920 x 1080p)
- WSXGA+ (1680 x 1050)
- UXGA (1600 x 1200)
- SXGA (1280 x 1024)
- WXGA (1280 x 768)
- HD (1280 x 720p)
- XGA (1024 x 768)
- SVGA (800 x 600)
- Output
- UHD (3840 x 2160)
- WUXGA (1920 x 1200)
- HD (1920 x 1080)
- WSXGA+ (1680 x 1050)
- SXGA+ (1400 x 1050)
- SXGA (1280 x 1024)
- HD (1280 x 720)
- XGA (1024 x 768)
- Content frame rate
- 5-60 fps (up to 4K

CONTENT SHARING

- Apple Airplay
- Miracast
- HDMI input
- Whiteboarding

MICROPHONES

- 3x MEMS microphones, plus 2x 2nd order microphones
- Up to 25 ft of microphone pick up range
- Optional expansion microphone available (p/n 2200-69631-001)

AUDIO

- Poly NoiseBlockAl technology
- Poly Acoustic Fence technology

AUDIO INPUT

- 3x MEMS microphones, plus 2x 2nd order microphones
- 1x HDMI
- 1x 3.5 mm line-in
- Input for optional expansion microphone

AUDIO OUTPUT

- Stereo speakers
- Power Handling (RMS) 20 Watts
- Power Handling (MAX) 40 Watts
- Sensitivity 86.1 dB
- 3.5 mm audio output
- 1x HDMI

OTHER INTERFACES

- 2x USB-A (3.0)
- 1x USB-C
- Bluetooth® 5.0*
- WiFi 802.11a/b/g/n/ac (MIMO) Multi-channel Concurrency*

AUDIO STANDARDS AND PROTOCOLS

- 22 kHz bandwidth with Polycom Siren 22 technology
- 20 kHz bandwidth with G.719 (M- Mode) and Polycom Siren 22 technology
- 14 kHz bandwidth with Polycom Siren 14 technology, G.722.1 Annex C
- 7 kHz bandwidth with G.722, G.722.1
- 3.4 kHz bandwidth with G.711, G.728, G.729A

Vision for the next...