POLY STUDIO E70

HIGHLIGHTS

- Dual cameras with 4K sensors
- Poly DirectorAl smart camera technology
- Motorized, integrated electronic privacy shutter.
- Includes Poly Lens management software.
- UHD 2160p (4K) capture resolution

ORDER NOW

+91 9810166450 www.savivision.com

Vision for the next...

POLY STUDIO E70

About Poly Studio E70

The Poly Studio E70 is a first of its kind intelligent camera that brings mindblowing video quality and advanced analytics to modern meeting rooms. Dual cameras with 4K sensors are boosted by Poly DirectorAl smart camera technology to create an unparalleled video experience, perfect for hybrid working environments. The ability to seamlessly transition between a wide angle and narrow lens means that everyone in the room is seen in sharp detail. With Poly Lens enabling worry-free deployment and management, all you'll need to do is immerse yourself in a truly life-like meeting experience.

Benefits

Life-like video with dual cameras each with their own 4K+ sensor.

Poly DirectorAl smart camera technology ensures everyone is seen clearly with pinpoint accurate automatic framing and tracking.

Added security with motorized, integrated electronic privacy shutter

Connects easily to Microsoft Teams Rooms on Windows, Zoom Rooms on Windows and Poly G7500 for streamlined deployments.





POLY STUDIO E70

SPECIFICATION

PACKAGE INCLUDES

- Poly Studio E70
- USB-C cable
- Ethernet cable
- Wall mount

ROOM ANALYTICS

- Meeting participant counting
- Air Quality Sensor*

CAMERA

- 2 lenses
- 120-degree HFOV, 70-degree HFOV
- 140-degree DFOV, 78-degree DFOV
- 20 Megapixel sensors
- Camera range
- Up to 25 ft/7.62 m
- 7.3x digital zoom
- UHD 2160p (4K) capture resolution
- Automatic meeting experience powered by Poly DirectorAl smart camera technology including group framing, people framing (preview feature), and speaker framing

OTHER INTERFACES

- 1x USB-C
- 1x Ethernet
- Power connector

MANAGEABILITY

Poly Lens

SECURITY

- 802.1x support
- Certification management

OPTIONS

- VESA mount kit
- Stand
- Monitor Clamp
- External power supply

COMPATIBILITY

- Microsoft Teams Rooms on Windows
- Poly G7500, Poly Studio X70 and Poly Studio X50
- Zoom Rooms on Windows

ELECTRICAL

- PoE+, 802.11at, Class 4
- Optional Auto sensing power supply
- 12V DC at 1.2A
- External power supply input spec: 100-240V 50/60Hz, 1.5A
- External power supply output spec: 12.0V DC, 5.0A, 60.0W, L.P.S

ENVIRONMENTAL SPECIFICATIONS

- Operating temperature
 - 0 to 40 °C/32 to 104 °F
- Operating humidity (non-condensing)15 to 80%
- Non-operating temperature
 - -40 to 70 °C/40 to 158 °F
- Non-operating humidity (non-condensing)
- 5 to 95%
- Maximum altitude
- 16,000 ft./4877 m.

PHYSICAL CHARACTERISTICS

- 321 mm/12.63 in (W) x 102 mm/4.02 in (H) x 89.1 mm/3.51 in (D)
- 2 lbs/.907 kg

WARRANTY

 One-year return to factory parts and labor