YEALINK A30 HIGHLIGHTS

- All-in-One Design
- Two Cameras Design
- 120° Filed of View
- Electric Privacy Shutter
- Auto Framing and Speaker Tracking
- Built-in Bluetooth 4.2
- Certified by Microsoft Teams & Zoom & BlueJeans & RingCentral
- Whiteboard
- Built-in Dual-band Wi-Fi

ORDER NOW

+91 9810166450 <u>vww.savivision.com</u>



MEETING BAR A30

About Meeting Bar A30

Yealink MeetingBar A30 Teams Edition, an all-in-one video collaboration bar for Medium rooms. A30 features an optical camera with 10x hybrid zoom and an 8-megapixel digital camera with a 120° field of view, delivering outstanding video quality.

Together with the electric privacy shutter, its AI technologies, including Auto Framing and Speaker Tracking and so on allow users to experience a smarter and safer <u>video conference</u>. With 8 MEMS microphone arrays and Yealink AI-based noise-proof technology, A30 brings excellent audio experience in medium rooms even in full-duplex mode and ensures that everyone can be heard as well as seen.

Supporting human body detection, A30 provides a convenient and fast device wake-up experience. Moreover, A30 combines a computing unit, camera, microphones, speaker, Wi-Fi, and Bluetooth, which provides you with a solution for simple deployment. A30 supports cloud video platforms like <u>Microsoft Teams</u> and Zoom, so no PC is required.

A30 is capable of content sharing and whiteboard which makes the meeting more communicative and collaborative. Simple and flexible deployment but powerful features deliver excellent video collaboration performance.

Benefits

The A30 camera supports 4K video output and is equipped with an 8x optical zoom lens, providing you with a face-to-face, intelligent and smooth video experience by accurately reproducing every moment and detail. Featuring multiple Al technologies such as Auto Framing, Speaker Tracking, and Picture-in-Picture, users don't need to adjust the camera manually and can focus more on the conference.

8 MEMS microphone arrays make A30 have the strong ability of Yealink Al-based noise proof technology and dereverberation. The Yealink beamforming algorithm, together with the technology of acoustic echo cancellation and dereverberation, brings high-quality full-duplex calls and realizes more precise voice pickup.

Integrating computing units, cameras, microphones, speakers, Bluetooth, and Wi-Fi, A30 takes up less space and minimizes cable clutter. Plugging in power and HDMI cable gets a video conference ready. In addition, the Yealink Device Management Platform ensures easy management for you.



Mediabar A30

SPECIFICATION

Dual Camera System

- Wide Camera:
- 8 MP Camera
- Field of view: 120°
- 4 x e-PTZ Camera
- 120° DFOV, 112° HFOV, 79° VFOV
- Telephoto Camera:
- 8 MP Camera
- Field of view: 90°
- 10x Hybrid Zoom (3.5x optical, 3x digital)
- Horizontal Rotation Angle: +25°/-25°
- Vertically Rotation Angle: +16°/-16°
- 90° DFOV, 81° HFOV, 50° VFOV
- Electric Privacy Shutter
- Intelligence Features
- Auto Framing
- (Frame and capture everyone in detail)
- Speaker Tracking (Switch automatically between active speakers)
- Picture in Picture (View speaker and group people simultaneously)
- Smart Gallery (Zoom only, display multiple video feeds from a single conference room)

Operating System

Android 10.0

Network and Security Features

- Built-in dual-band Wi-Fi (2.4 GHz/5 GHz)
- Built-in Bluetooth 4.2
- IPv4 and IPv6, DHCP/static IP
- HTTP/HTTPS web server
- TLS 1.2/1.3, AES 256-bit encryption
- QoS: 802.1p/q, Diff-serv
- VLAN, LLDP
- IEEE802.1X
- EAP-MD5/EAP-TLS
- PEAP-MSCHAPv2
- EAP-TTLS/EAP-MSCHAPv2
- Network diagnosis: Ping, Trace route
- Time and date synchronization using SNTP
- · Built-in certificate

Audio

- Built-in 8 MEMS microphone array with a voice pickup range of 6 meters
- Support external mic
- Two Built-in speakers with the maximum volume of 93dB
- Yealink Noise Proof Technology
- Beamforming directed voice pickup technology
- Full-duplex
- AGC (Automatic Gain Control)
- Echo cancellation
- Built-in microphone frequency response: 100Hz to 8kHz
- Speaker frequency response: 100Hz to 8kHz

Ports

- 2 x HDMI output (CEC supported)
- HDMI input (through the VCH51 Sharing Kit)
- Motion sensor (Teams supported)
- 1 x Line-in (3.5 mm)
- 1 x Line-out (3.5 mm)
- 2 x USB 2.0
- 1 x 10 M/100 M/1000 M Ethernet port
- 1 x Yealink extension port (RJ-45)
- 1 x Power port
- 1 x Security lock slot
- 1 x Reset slot

Other Physical Features

- External Yealink Power Adapter: AC 100-240 V Input and DC 48 V/0.7 A Output
- USB Output: 5 V 0.5 A
- Power consumption (PSU):
- Standby Power Consumption: 14.9 W
- Average Power Consumption: 12.5 W
- Peak Power Consumption: 18 W
- Dimension (W.D.H): 700 mm x 98 mm x 121 mm
- Operating humidity: 10 90%
- Operating temperature: 0 40°C
- Storage temperature: -30 to +70°C

Meeting Features

- Calendar
- · One-click join
- Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control:
- Add participates
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up

Video Standard and Network Suitability

Video codecs:
H.264 High profile,
H.264 SVC,
H.264

Weight

- A30-020:
- N.W/CTN: 7.05 kg
- G.W/CTN: 8.13 kg
- A30-025:
- N.W/CTN: 7.20 kg
- G.W/CTN: 8.39 kg

MeetingBar A30 Package

- Package contents:
- MeetingBar A30 endpoint
- 3 m Ethernet cable
- 2 x 1.8 m HDMI cable
- Mounting Bracket and Accessories
- Power adapter

x 306 mm

- Quick Start Guide
- Controller (optional):
 CTP18 Touch Panel
 VCR20 Remote Control
 VCR11 Remote Control
- Content sharing(optional):
 VCH51 Sharing Kit
 (HDMI/USB-C)
 WPP20 Wireless Presentation

Pod WPP30 Wireless Presentation

Carton Meas: 903 mm x 325 mm